



| | | |
|---|-------------------------------------|-------------------------|
| FORM PTO 1449 U.S. Department of Commerce Patent and Trademark Office INFORMATION DISCLOSURE CITATION | Attorney Docket No. 82402-3302 | Serial No. 09/743110 |
| | Applicant Brian Fristensky et al | |
| | Filing Date July 2, 1999 | Group |

U.S. PATENT DOCUMENTS

| Examiner Initial | Document Number | DATE | NAME | Class | Sub Class | Filing Date |
|---------------------|--------------------|------|------|-------|--------------|----------------|
| | | | | | | |

FOREIGN PATENT DOCUMENTS

| Document Number | DATE | COUNTRY | Class | Sub Class | |
|--------------------|------|---------|-------|--------------|--|
| | | | | | |

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages)

| | |
|--|---|
| | Gang et al, Regiochemical control of monolignol radical coupling: a new paradigm for lignin biosynthesis, 1999, <i>Chemistry & Biology</i> 6: 143-151 |
| | Ruiz-Lozano et al, Defense Genes Are Differentially Induced by a Mycorrhizal Fungus and <i>Rhizobium</i> sp. in Wild-Type and Symbiosis-Defective Pea Genotypes, 1999, <i>Molecular Plant-Microbe Interactions</i> 12: 976-984 |
| | Terras et al, Small Cysteine-Rich Antifungal Proteins from Radish: Their Role in Host Defense, 1995, <i>The Plant Cell</i> 7: 573-588 |
| | Culley et al, Molecular Characterization of Disease-Resistance Response Gene DRR206-d from <i>Pisum sativum</i> (L.), 1995, <i>Plant Physiol</i> 107: 301 |
| | Wang and Fristensky, Expression of native and constitutively-expressed pea defense genes in transgenic canola, 1998, <i>Can J Plant Pathol</i> 20: 131 |
| | Hadwiger et al, <i>Fusarium solani</i> DNase is a Signal for Increasing Expression of Nonhost Disease Resistance Response Genes, Hypersensitivity, and Pisatin Production, 1995, <i>Molecular Plant-Microbe Interactions</i> 8: 871-879 |
| | Chang et al, Expression of a pea disease resistance response gene in the potato cultivar shepody, 1993, <i>American Potato Journal</i> 70: 635-647 |
| | Hadwiger et al, Expression of disease resistance response genes in near-isogenic pea cultivars following challenge by <i>Fusarium oxysporum</i> race 1, 1992, <i>Physiological and Molecular Plant Pathology</i> 40: 239-269 |
| | Chiang and Hadwiger, The <i>Fusarium solani</i> -Induced Expression of a Pea Gene Family Encoding High Cysteine Content Proteins, 1991, <i>Molecular Plant-Microbe Interactions</i> 4: 324-331 |
| | Brogliet al, Transgenic Plants with Enhanced Resistance to the Fungal Pathogen <i>Rhizoctonia solani</i> , 1991, <i>Science</i> 254: 1194-1197 |
| | Daniels et al, Host Responses in Peas to Challenge by Wall Components of <i>Pseudomonas syringae</i> pv. <i>Pisi</i> Races 1, 2 and 3, 1988, <i>Phytopathology</i> 78: 1451-1453 |

| | |
|--|---|
| | Fristensky et al, cDNA sequences for pea disease resistance response genes, 1988, <i>Plant Molecular Biology</i> 11: 713-715 |
| | Daniels et al, Pea genes associated with non-host disease resistance to <i>Fusarium</i> are also active in race-specific disease resistance to <i>Pseudomonas</i> , 1987, <i>Plant Molecular Biology</i> 8: 309-316 |
| | Fristensky et al, Gene expression in susceptible and disease resistant interactions of peas induced with <i>Fusarium solani</i> pathogens and chitosan, 1985, <i>Physiological Plant Pathology</i> 27: 15-28 |
| | Riggleman et al, The disease resistance response in pea is associated with increased levels of specific mRNAs, 1985, <i>Plant Molecular Biology</i> 4: 81-86 |
| | |

| | |
|----------|-----------------|
| Examiner | Date Considered |
| | |

